



SUCF Project No. 041002
Renovate Park Center Facade
SUNY Cortland

Addendum No. 4

Date: Thursday January 4, 2018

Addendum prepared by: Flynn Battaglia Architects, PC
Michael J. Meyer, RA

This ADDENDUM contains changes to the requirements of the Contract Documents – Drawings and Specifications. Such changes are to be incorporated into the Contract Documents and shall apply to the Work with same meaning and force as if they had been included in the original documents. Whenever this Addendum modifies a portion of a paragraph of the Specifications or a portion of any Drawing, the remainder of the Specification or Drawing shall remain in force. The following Specification and Drawing items are provided for convenience and are indicative of the clarifications, revisions, additions or deletions made. The Contractor should carefully review each drawing to ascertain the complete scope of the Work. **Acknowledge receipt of this Addendum by inserting its number and date in the space provided in the Bid Form. Failure to do so may subject the bidder to disqualification.**

PROJECT MANUAL

Item 4-1) Refer to Project Manual Volume Two; "Section 054000 – COLD FORMED METAL FRAMING"; PART 2 PRODUCTS: 2.1 MATERIALS; item C.1"

Change: Minimum Base-Metal Thickness: "0.0428 inch – 43 mil (18Ga.)"
To read: "**Minimum Base-Metal Thickness: 0.0966 inch - 97 mil (12Ga.)**"

Clarification: This gauge (12Ga.) is listed correctly on Drawing S3-01.

End of Addendum #4